2000 ORDERING SUPPLEMENT
MIDDLE EAST

0smid8sc

	REQUIRED ON EVERY ORDER:	
RPO	DESCRIPTION	
A04	Windshield: Tinted, Less Upper Shade Band	X
AC7	Pipe: Fuel Tank Vent, Unrestricted	X
R ANJ	Glass: Window Compliant, Non Deep Tint **Requires** YE9	X
EXP	Processing Option: GMODC, Export	X
K47	Air Cleaner: High Capacity	X
K53	Fuel Sender Assembly: Robust Fuel System	X
NM2	Leaded Fuel Provisions	X
R6K	Processing Option: Middle East	X
T62	Daytime Running Lights - Delete	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Speed Warning Device	X
UL2	Radio Frequency: Europe **Requires** UL0 or UP0 with YE9 or UM7 less YE9	X
V87	Complete Vehicle Label	X
VC5	Shipping Label	X
VPH	Export Vehicle Preparation – Includes (BAG) Export Parts Package, (VR6) Tie Down Hook, (V76) Tow Hook	X
Z5X	Mirror: Outside, Rearview with Arabic Language Warning	X

NOTE: When ordering YE9 on CC25906 or CK25906, **PY2** Chrome Wheel will be supplied as **Base** wheel. PY2 may be upgraded to PY0 Aluminum Wheel.

MODEL AND POWERTRAIN AVAILABILITY						
MODEL	DESCRIPTION	ENG	DISPL.	AXLE	TRANS.	TIRES
CC15906	Suburban	LM7	5.3L V8	GT4	M30	QCP
CC25906	Suburban	LQ4	6.0L V8	GT4	MT1	QIZ
CK15906	Suburban	LM7	5.3L V8	GT4	M30	QHS
CK25906	Suburban	LQ4	6.0L V8	GT5	MT1	QIZ

QCP Tires: P255/70R16 - 109H Blackwall ALS
QHS Tires: P265/75R16 - 114H Blackwall "A" Temperature Rating
QIZ Tires: LT245/75R16/E Blackwall ALS 120Q

	OTHER AVAILABLE EXPORT OPTIONS:	
T78	Headlamps Control - Delete	A
UL0	Radio: AM/FM Stereo with Cassette Player **Requires** YE9	A
UM7	Radio: AM/FM Stereo **Not Available** with YE9	A
R UP0	Radio: AM/FM Stereo with Cassette Player and CD **Requires** YE9 and AN3 or A95	A

	EXPORT RESTRICTIONS:
AJ1	Deep Tinted Glass – **Not Available**
DF2	Mirrors, Exterior – **Not Available**
R NW7	Traction Control - **Not Available** with NM2 Leaded Fuel Provisions

CHEVY SUBURBAN - NEW

2 WHEEL DRIVE	C15906
4 WHEEL DRIVE	K15906
2 WHEEL DRIVE	C25906
4 WHEEL DRIVE	K25906

"STEP by STEP"

STEP #1:	SELECT	MODEL CODE Review Standard Equipment
STEP #2:	SELECT	PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE
STEP #3:	SELECT	POWER TEAM REQUIREMENTS
STEP #4:	SELECT	ADDITIONAL OPTIONS
STEP #5:	SELECT	COLOUR, TRIM AND PAINT APPLICATION CODE

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

	SAFETY/SECURITY	ZE5	YE9
	Air Bag Restraint: Next Generation Driver and Passenger Sides and side impact	S	S
	Brake Transmission Shift Interlock	S	S
	Child Safety Door Locks: Rear Side Doors	S	S
	Child Safety Seat Top Tether Anchor	S	S
	Lights: Daytime Running Lights; Centre high mounted stop lamp	S	S
	Passlock™ Security System	S	S
	Side Guard Door Beams	S	S
	Single Two-Sided Key: Common key to operate ignition and doors	S	S
	EXTERIOR		
	Brakes: 4 Wheel ABS and 4 wheel disc	S	S
	Bumpers: Front and Rear Step; Chrome with rub strip	S	S
	Door Handles: Black	S	---
	Colured Keyed	---	S
R	**Glass:** Solar-Ray™ Tinted; all windows	S	---
R	Deep Tinted Glass on windows behind 'B' Pillar	---	S
	Grille: Moulded plastic; painted argent; integral Chevrolet emblem at centre of grille	S	S
	Chrome accents	---	S
	Headlights: Automatic dual composite halogen	S	S
	Horn: Electric high/low note	S	S
	Keyless Entry, Remote: Three-button fob remote transmitter. Illuminated entry, panic alarm and vehicle content theft alarm. Two key fobs are provided	---	S
	Lights: Backup Lamps, Combination Parking/Direction/Hazard, Combination Tail/Stop/Direction/Hazard, Headlamps, License Plate lamp, Side Marker lamps with reflectors, Underhood lamp, Flash to Pass	S	S
	Luggage Carrier: Roof mounted. Painted black	---	S
	Mirrors: Black left hand and right hand. Below eye-line type. Fold-away	S	---
	Heated Electric Remote Control with puddle lights. Chrome on LS, Body Colour on LT	---	S
R	Light Sensitive Driver Side (LT Model Only)	---	S
	Mouldings: Bright body side	---	S
	Coloured wheel opening flare mouldings (K25906)	S	S
	Nameplates: Chevrolet and Suburban on panel doors/liftgate	S	S
	LS/LT nameplate on B pillar	---	S
	1500/2500 on front doors	S	S
	Spare Tire Carrier: Mounted under body, Locking	S	S
	Speed Sensitive Steering (K15906)	S	S
	Tow Hooks: Left hand and right hand front tow hooks mounted at the front of each frame side member (K15906, K25906)	S	S
	Transfer Case: Autotrac. Automatic Four Wheel Drive Function in addition to the traditional 2H/4H/4L (K15906, K25906)	S	S
	Wheels: Clad wheel silver painted steel with black centre cap	S	---
	16" Aluminum	---	S
	Windshield Wipers and Washers: Intermittent wiper system. Demand-type washer system	S	S
	Wiring Harness, Trailer: Heavy duty, 8-wire, 7-lead	S	S
	INTERIOR		
	Air Conditioning: All Weather Front and Rear with dual controls and Pollen Air Filtration	---	S
	Assist Handle: Front passenger side on headliner	S	S
	Rear both sides – 1 on 'B' pillar	S	S
	Cargo Net	---	S
	Cargo Security Shade: Removable; extends from rear seat to back of vehicle; vinyl, colour-keyed	---	S
	Concealed Storage Compartment: Left Rear Quarter Panel	S	S
	Convenience Group: Programmable power side door locks, lockout prevention, retained accessory power	S	S
	Power side door windows with express down feature on driver's window, speed control	---	S
	Door Lock, Rear: Lock/unlock switch located on the right hand rear pillar. This allows all doors to be locked/unlocked from the rear while the rear doors are open. When the Standard Panel Doors (ZW9) are specified, all doors will be automatically relocked, five seconds after the rear doors are closed	S	S
	Door Trim Panels: Colour-keyed grained moulded plastic	S	---
	Soft vinyl with carpet covered map pocket and cloth insert	---	S
	Driver Message Center: Up to 18 vital vehicle functions	S	S
	Floor Covering: Colour-keyed Vinyl One piece front and rear seating floor area. One piece cargo floor area	S	---
	Carpeted One piece front and rear seating floor area. One piece cargo floor area	---	S
	Front, 2nd Row and 3rd Row vinyl mats	---	S
	Gauges: Speedometer, odometer, fuel level, voltmeter, temperature, oil pressure, tachometer, trip odometer, hour meter	S	S
	Headlights On and Key-In-Ignition Warning Buzzers	S	S
	Headliner: Cloth covered moulded fiberglass construction	S	S
	Heater and Defogger: Windshield and side window defoggers. 2nd row seat heater ducts	S	S
	Rear window defogger, electric	---	S
	Lights: Dome with map reading lights incorporating a 20 second delay-off feature, underdash courtesy, ashtray, glove box, instrument cluster. Left hand and right hand door jamb switches	S	S

S Standard

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

INTERIOR	ZE5	YE9
Mirror, Rearview: 254 mm (10") electrochromic. Mirror automatically adjusts to reduce night time glare. Includes a continually recalibrating 8 point compass system, outside temperature	---	S
Power Points: Dual covered in addition to cigarette lighter receptacle in instrument panel with one rear cargo area	S	S
Radio Equipment: Tuned AM/FM Stereo with Seek-Scan and Clock. Fixed mast antenna and four speakers (2 - in front doors; 2 – in rear door)	S	---
ETR AM/FM Stereo with Compact Disc Player, Seek-Scan, Automatic Tone Control, Clock, Theft Lock and Speed Compensated Volume. Includes 2 high sensitivity speakers and 2 tweeters in front doors, 2 extended range speakers in rear door, 2 extended rear speakers in pillar, subwoofer in left rear quarter panel and 5 channel amplifier in instrument panel	---	S
Seats: Front Vinyl 40/20/40 Split Bench Seat	S	---
Front Custom Cloth reclining 40/20/40 Split Bench Seat with manual lumbar and center armrest storage	---	S
2nd Row folding seat	---	S
3rd Row solid bench seat	---	S
Head restraints, adjustable on all outboard seats	S	S
Steering Wheel and Column: Black energy absorbing steering column with anti-theft locking feature, tilt wheel	S	S
Leather wrapped steering wheel	---	S
Sunshades: Dual Left hand and right hand padded, colour-keyed cloth	S	S
Lighted visor mirrors	---	S
Tools: Mechanical jack and wheel wrench located on interior left hand rear side	S	S

S Standard

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN

NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY

		SELECT-A-UNIT CODES		
			LS	LT
OPTION DESCRIPTION	OPTION CODE	1	3	4
PREFERRED EQUIPMENT GROUPS	---	1SA	1SC	♦1SD
MODEL OPTION:	ZE5	X		
BODY ORDERING CODE: Panel Doors	ZW9	X	U	U
Engine: 5300 SFI V8 (C15906, K15906)	LM7	X	X	X
Engine: 6000 SFI V8 (C25906, K25906)	LQ4	X	X	X
Transmission: 4 Speed Automatic (C15906, K15906)	M30	X	X	X
Transmission: 4 Speed Automatic (C25906, K25906)	MT1	X	X	X
GVWR: 3175 kgs (7000 lbs) (C15906)	C5W	X	X	X
GVWR: 3266 kgs (7200 lbs) (K15906)	C5Z	X	X	X
GVWR: 3901 kgs (8600 lbs) (C25906, K25906)	C6P	X	X	X
Chassis: Smooth Ride (C15906, K15906)	ZQ1	U	U	
Chassis: Solid Smooth Ride (C25906, K25906)	Z83	U	U	
Chassis: Premium Smooth Ride (C15906, K15906)	ZW7			U
Chassis: Increased Capacity (C25906, K25906)	Z85			U
Axle, Rear: 3.73 Ratio	GT4	U	U	U
Tires: P245/75R-16 ALS (C15906, K15906)	QNK	U	U	
Tires: P265/70R-16 ALT (C15906, K15906)	QMJ			U
Tires: LT245/75R-16E ALS (C25906)	QIZ	X	X	X
Tires: LT245/75R-16E ALS (K25906)	QIZ	U	U	U
Seats: 40/20/40 Split Front Bench	AE7	X	U	
Seats: Full Featured Front High Back Reclining Buckets with Leather Trim	AN3			X
MODEL OPTION: LS / LT	YE9		X	X
Air Conditioning: Electronic Climate Control	C68			X
Carpeted Floor Mats	B58			X
Fog Lamps	T96			X
2nd Row Seat Audio Controller	UK6			X
Running Boards	BVE			X
Transmitter, Homelink	UG1			X
Wheels: Polished Aluminum (C15906, K15906)	QC3			X
Wheels: Aluminum (C25906, K25906)	PY2		U	U

♦ **Requires Leather Trim Code 122, 672, 922.**
X **Option Included in Select-A-Unit. DO NOT DELETE**
U **Option Included in Select-A-Unit and May Be Deleted if Substitute Option is Specified**

2000 LIGHT DUTY TRUCKS

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

2 WHEEL DRIVE – 1500 SERIES

Base Trim				
Model Price	C15906	ZE5	1	1SA
LS				
Model Price	C15906	YE9	3	1SC
LT				
Model Price	C15906	YE9	4	1SD

4 WHEEL DRIVE – 1500 SERIES

Base Trim				
Model Price	K15906	ZE5	1	1SA
LS				
Model Price	K15906	YE9	3	1SC
LT				
Model Price	K15906	YE9	4	1SD

2 WHEEL DRIVE – 2500 SERIES

Base Trim				
Model Price	C25906	ZE5	1	1SA
LS				
Model Price	C25906	YE9	3	1SC
LT				
Model Price	C25906	YE9	4	1SD

4 WHEEL DRIVE – 2500 SERIES

Base Trim				
Model Price	K25906	ZE5	1	1SA
LS				
Model Price	K25906	YE9	3	1SC
LT				
Model Price	K25906	YE9	4	1SD

Destination Freight Charge .....

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C15906

					GVWR kgs lbs	C5W 3175 7000	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with Overdrive		GT4	GT5

K15906

					GVWR kgs lbs	C5Z 3266 7200	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with Overdrive		GT4	GT5

C25906

					GVWR kgs lbs	C6P 3901 8600	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
LQ4 V8	6.0 Litre 366 Cu. In.	SFI	300 @ 4800	MT1 - Automatic with Overdrive		GT4	GT5

K25906

					GVWR kgs lbs	C6P 3901 8600	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
LQ4 V8	6.0 Litre 366 Cu. In.	SFI	300 @ 4800	MT1 - Automatic with Overdrive		GT4	GT5

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

BODY ORDERING CODE: Liftgate: Lift Glass. Aluminum. Includes rear wiper system
Optional with: ..... SAU 3 or 4 ..... E52

ENGINES: Refer to Power Teams Charts for engine availability.
Vortec 5300 Sequential Fuel Injection (SFI) V8.
Optional with: ..... C15906, K15906 ..... LM7
Vortec 6000 Sequential Fuel Injection (SFI) V8. Includes K47.
Optional with: ..... C25906, K25906 ..... LQ4

TRANSMISSION: Refer to Power Teams Charts for transmission availability.
4-Speed Automatic with Overdrive. 4L60E. **Requires** LM7.
Optional with: ..... C15906, K15906 ..... M30
4-Speed Automatic with Overdrive. 4L80E. **Requires** LQ4.
Includes Heavy Duty Transmission Cooling system.
Optional with: ..... C25906, K25906 ..... MT1

GVWR: Refer to Power Teams Charts for GVWR availability.
3175 kgs (7000 lbs)
Optional with: ..... C15906 ..... C5W
3266 kgs (7200 lbs)
Optional with: ..... K15906 ..... C5Z
3901 kgs (8600 lbs).
Optional with: ..... C25906, K25906 ..... C6P

AXLES, REAR: Refer to Power Teams Charts for axle ratio availability.
3.73 Ratio
Optional with: GT4
4.10 Ratio.
Optional with: GT5
Locking Differential G80

CHASSIS EQUIPMENT:

C15906, K15906
Smooth Ride: Base Suspension
C15906 **Requires** QCP, QNK or QNL
K15906 **Requires** QHS, QNK or QNL
Optional with: ..... SAU 1 or 3 ..... ZQ1

Premium Smooth Ride: Includes self leveling package. Includes touring tires and high performance shock absorbers.
C15906 **Requires** QCP, QMJ or QMK
K15906 **Requires** QHS, QMJ or QMK
Optional with: ..... SAU 1 or 3 ..... ZW7

Auto Ride Control: Fully automatic Real Time Dampening
C15906 **Requires** QCP, QMJ or QMK
K15906 **Requires** QHS, QMJ or QMK
Optional with: ..... SAU 3 or 4 ..... Z55

C25906, K25906
Solid Smooth Ride: Base Suspension
C25906 **Requires** QIZ
K25906 **Requires** QIW or QIZ
Optional with: ..... SAU 1 or 3 ..... Z83

Auto Ride Control: Fully automatic Real Time Dampening
C25906 **Requires** QIZ
K25906 **Requires** QIW or QIZ
Optional with: ..... SAU 3 or 4 ..... Z55

Increased Capacity: Provides increased damping to improve handling or trailering
C25906 **Requires** QIZ
K25906 **Requires** QIW or QIZ
Optional with: ..... SAU 1 or 3 ..... Z85

TIRES: Steel Belted Radial. Front Rear and Spare.
P245/75R-16 – Blackwall Radial Steel All Seasons
Requires ZQ1.
Optional with: ..... C15906, K15906 ..... QNK

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

P245/75R-16 – White Outline Letter Radial Steel All Seasons
Requires ZQ1.
Optional with: ..... C15906, K15906 ..... QNL

LT245/75R-16 – Blackwall Radial Steel All Seasons
Requires Z55, Z83 or Z85.
Optional with: ..... C25906, K25906 ..... QIZ

LT245/75R-16 – Blackwall Radial Steel On/Off Road
Requires Z55, Z83 or Z85.
Optional with: ..... K25906 ..... QIW

P255/70R-16 – Blackwall Radial Steel All Seasons
Requires ZQ1, ZW7 or Z55. **Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated).
Optional with: ..... C15906 ..... QCP

P265/75R-16 – Blackwall Radial Steel All Terrain
Requires ZQ1, ZW7 or Z55 and PF4 or QC3. **Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated).
Optional with: ..... K15906 ..... QHS

R P265/70R-16 – Blackwall Radial Steel All Terrain
Requires PF4 or QC3 and ZW7 or Z55.
Optional with: ..... C15906, K15906 ..... QMJ

R P265/70R-16 – White Outline Letter Radial Steel All Terrain
Requires PF4 or QC3 and ZW7 or Z55.
Optional with: ..... C15906, K15906 ..... QMK

SEATS: Cloth trim. See Colour and Trim Charts.
FRONT
ZE5 includes driver and passenger manual seat back recliner, fold down 2nd row bench with armrest.
YE9 includes driver and passenger manual seat back recliner, manual driver and passenger lumbar, seat back stowage pockets, folding 2nd row bench that will function as armrest with stowage provisions and mini roof console.
With '2' Leather trim includes driver and passenger power 6-way seat adjuster.
Optional with: ..... "V' Trim ..... SAU 1 ..... AE7
..... 'D' Trim ..... SAU 3 ..... AE7
..... '2' Leather Trim ..... SAU 3 ..... AE7

R High back bucket seat with manual recliners and adjustable head restraint. Inboard arm rest on driver and passenger. Manual lumbar on driver and passenger. Seat back stowage pockets. Includes short overhead console and floor console.
With '2' Leather trim includes driver and passenger power 6-way seat adjuster.
Optional with: ..... 'D' Trim ..... SAU 3 ..... A95
..... '2' Leather Trim ..... SAU 3 ..... A95

Full feature high back bucket seat with driver and passenger power 6-way seat adjuster. Inboard arm rest on driver and passenger. Power lumbar, seat back bolster, seat back recliners, and seat back stowage pockets. Two position memory controls. Heated seat for driver and passenger. Includes full length overhead console and floor console.
Optional with: ..... '2' Leather Trim ..... SAU 4 ..... AN3

2nd ROW SEAT
Folding split bench 3 passenger centre seat.
Optional with: ..... SAU 1 ..... AT5

2 Reclining Buckets with inboard armrest and easy entry feature on right hand side.
Requires AN3 or A95.
Optional with: ..... "2' Leather Trim ..... SAU 3 or 4 ..... AL4

3rd ROW SEAT:
3 Passenger. Removable bench seat.
Optional with: ..... SAU 1 ..... AS3

AIR CLEANER: High Capacity. Included with LQ4 ..... K47

AIR CONDITIONING:
All Weather. Includes Increased Capacity Cooling and Pollen Air Filtration.
Optional with: ..... SAU 1 ..... C60

Electronic Climate Control. **Not Available** with CF5. Includes Rear Heater and Air Conditioning.
Optional with: ..... SAU 3 ..... C68

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

CONVENIENCE GROUPS:
Cruise Control.
Optional with: ..... SAU 1 ..... K34
Driver and Passenger 6-Way Power Seat Adjuster. Included with "2' Leather Trim. **Requires** AE7 or A95 and 'D' Code Trim.
Optional with: ..... SAU 3 ..... AG2

COOLING SYSTEMS: Extra capacity.
Engine Oil.
Optional with: ..... C25906, K25906 ..... KC4
Transmission. Provides an external oil-to-air cooling system.
R Included with MT1. Included with Z82.
Optional with: ..... KNP

DEFOGGER, REAR WINDOW: Electric. **Requires** C60.
Optional with: ..... SAU 1 ..... C49

FLOOR COVERING:
Carpeted front, 2nd row and 3rd row mats and load area.
Optional with: ..... SAU 3 ..... B58

FOG LAMPS: Front
Optional with: ..... SAU 1 or 3 ..... T96

GLASS: Deep Tinted Glass on windows behind 'B' Pillar.
Light Tinted Glass on all other windows. **Requires** C60 and C49.
R Optional with: ..... SAU 1 ..... AJ1

GRILLE: Chrome accents.
Optional with: ..... SAU 1 ..... V22

HEATER: Engine Block
Optional with: K05

HEATER: Rear Passenger. Auxiliary.
Optional with: C36

LAMPS: Roof Marker. Includes five amber lamps-two outboard clearance lamps and three central identification lamps. **Not Available** with CF5.
Optional with: U01

LUGGAGE CARRIER: Roof
Optional with: ..... SAU 1 ..... V54
LUGGAGE CARRIER DELETE: Roof. **Not Available** with CF5.
Optional with: ..... SAU 3 or 4 ..... V53

MIRRORS: Exterior,
Left Hand and Right Hand. Camper Type. Incorporates ability to be extended outboard to give greater field of view for trailering applications and after market body equipment.
R Optional with: ..... SAU 1 or 3 ..... DF2

MOULDINGS:
Wheel Opening Fender Flare. Front and rear. Included on K25906 models. (See Colour, Trim and Seat Availability Chart)
Optional with: ..... C15906, K15906, C25906 ..... B71
Bright Body Side
Optional with: ..... SAU 1 ..... B85

PAINT SCHEMES: (See Colour, Trim and Seat Availability Chart)
Solid ZY1
Conventional Two-Tone.
Optional with: ..... SAU 3 or 4 ..... ZY2

RADIO EQUIPMENT:
Radio Delete (**Deletes** radio, antenna and speakers)
Optional with: ..... SAU 1 ..... UL5
Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Cassette Player and Digital Clock. Includes four speakers (two extended range speakers in front doors, two extended range speakers in rear doors rear).
Optional with: ..... SAU 1 ..... UM6

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Automatic Tone Control, Clock, Theft Lock and Speed Compensated Volume. Includes two high sensitivity speakers and 2 tweeters in front doors, 2 extended range speakers in rear door, 2 extended rear speakers in pillar, subwoofer in left rear quarter panel and 5 channel amplifier in instrument panel.
Optional with: ..... SAU 3 or 4 ..... UL0

Electronically Tuned AM/FM Stereo with Cassette Player and Compact Disc Player, Seek-Scan, Automatic Tone Control, Clock, Theft lock and Speed Compensated Volume. Includes two high sensitivity speakers and 2 tweeters in front doors, 2 extended range speakers in rear door, 2 extended rear speakers in pillar, subwoofer in left rear quarter panel and 5 channel amplifier in instrument panel. **Requires** AN3 or A95.
Optional with: ..... SAU 3 or 4 ..... UP0

Radio Frequency European
ZE5: **Requires** standard radio. **Not Available** with UL5 or UM6.
YE9: **Requires** UL0 or UP0.
Available with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated).
Optional with: UL2

R **2nd ROW SEAT AUDIO CONTROLS EARPHONE JACKS:**
Requires AN3 or A95
Optional with: ..... SAU 3 ..... UK6

REAR WINDOW DEFOGGER: Electric. **Requires** C60.
Optional with: ..... SAU 1 ..... C49

RUNNING BOARDS, SIDE STEP: Graphite colour. Moulded plastic over sheet metal construction. Supports up to 272 kgs (600 lbs) per side. Shipped inside vehicle for dealer installation.
Optional with: ..... BVE

SKID PLATES: Off-Road. Includes shields for engine, front differential, transfer case and fuel tank.
Optional with: ..... K15906, K25906 ..... NZZ

SUNROOF: Sliding Electric. Express Open. Includes short overhead roof console and UG1 Homelink. **Deletes** C68 on SAU 4.
Optional with: ..... SAU 3 or 4 ..... CF5

TELEPHONE PROVISIONS: Includes wiring for remote microphone and cellular phone.
Optional with: UV8

TOWING DEVICE: Two front tow hooks. Included on K15906, K25906.
Optional with: ..... C15906, C25906 ..... V76

TRACTION CONTROL:
Requires G80. ZE5 **Requires** K34. Includes Electronic Throttle Control.
R **Not Available** with NM2 Leaded Fuel Provisions.
Optional with: ..... C15906, C25906 ..... NW7

TRAILERING SPECIAL EQUIPMENT: Heavy Duty.
Includes Weight Distributing Platform Trailer Hitch and 7 pin RV sealed connector.
R Includes KC4 on C25906 and K25906. Includes KNP.
Optional with: Z82

WHEELS:
16" Aluminum Painted Argent: Four Wheels
Optional with: ..... SAU 1 on C15906, K15906 ..... PF4

16" Aluminum
Optional with: ..... C25906, K25906 ..... PY0

16" Chrome. Four Wheels only
Includes Chrome Caps.
Optional with: ..... SAU 1 ..... PY2

Chrome Caps
Optional with: ..... SAU 1 ..... P03

16" Polished Aluminum: Four Wheels
Optional with: ..... SAU 3 on C15906, K15906 ..... QC3

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

DESCRIPTION	Order Code	Lead Time Days

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

BOOT COVERS, PROTECTIVE DRIVE AXLE: Provides a ballistic nylon protective cover that sweeps ice, snow, mud and other debris from the lower control arm, resulting in a longer seal life. Recommended for use in severe environments such as mining operations, forestry service, farming and other off-highway uses.

Optional with:	K15906	8T7	35

CONSOLE DELETE: Deletes floor console. **Not Available** with UK6. **Requires** A95 or AN3 and standard radio on YE9 or UL0.

Optional with:	SAU 3 or 4	9N5	35

LAMP, DOME: Passenger

Optional with:	SAU 1	6C7	35

MIRRORS, EXTERIOR: Driver and Passenger. West Coast type

Optional with:		9F8	35

PAINTS: Solid. **Requires** 01U.

Orange, Tangier		9W4	21
Yellow, Wheatland		9W3	21
Green, Woodland		9V5	21
Tan, Doeskin		9V9	21

TRIM OVERRIDE: Provides custom cloth seats. **Requires** ZE5 and 12V or 67V code trim. **Requires** AE7 or A95.
AE7 includes manual lumbar and center storage armrest.
A95 includes manual lumbar on driver and passenger. Does not include overhead console or floor console..

Optional with:	SAU 1 with AE7 without AS3	9X5	35
	SAU 1 with AE7 with AS3	9X5	35
	SAU 1 with A95 without AS3	9X5	35
	SAU 1 with A95 with AS3	9X5	35

SEATS, FRONT: Requires 9X5.

Bench		AE7	--
High Back Reclining Buckets		A95	--

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY1 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Neutral	Pewter
ZE5	40/20/40 Split Bench	Vinyl	AE7	12V	67V	---
YE9	40/20/40 Split Bench	Custom Cloth	AE7	12D	67D	92D
	40/20/40 Split Bench	Leather	AE7	♦122	♦672	♦922
	High Back Buckets	Custom Cloth	A95	12D	67D	92D
	High Back Buckets	Leather	A95	♦122	♦672	♦922
	High Back Buckets	Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Available Combinations			B71 Wheel Opening Fender Flare	
					ZE5	YE9
Light Pewter (Met)	11U	X	X	X	Black	Pewter
Medium Charcoal Gray (Met)	14U	X	X	X	Black	Gray
Indigo Blue (Met)	39U	X	X	X	Black	Black
Onyx Black	41U	X	X	X	Black	Black
Summit White	50U	X	X	X	Black	Black
Dark Carmine Red (Met)	51U	X	X	X	Black	Black
Sunset Gold (Met)	60U	X	X	X	Black	Gold
Dark Copper (Met)	69U	X	X	X	Black	Copper
Victory Red	74U	X	X	X	Black	Black

♦ **Leather Trim Requires SAU 3 or 4. Leather is on seating surfaces only.**

ZY2 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Neutral	Pewter
YE9	40/20/40 Split Bench	Custom Cloth	AE7	12D	67D	92D
		Leather	AE7	♦122	♦672	♦922
		Custom Cloth	A95	12D	67D	92D
		Leather	A95	♦122	♦672	♦922
		Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations			B71 Wheel Opening Fender Flare
Light Pewter (Met)	11U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	11U	Onyx Black	41L	X	---	X	Black
	11U	Sunset Gold (Met)	60L	---	X	X	Gold
Medium Charcoal Gray (Met)	14U	Light Pewter (Met)	11L	X	---	X	Pewter
	14U	Onyx Black	41L	X	---	X	Black
	14U	Sunset Gold (Met)	60L	X	X	---	Gold
Indigo Blue (Met)	39U	Light Pewter (Met)	11L	X	---	X	Pewter
	39U	Med. Charcoal Gray (Met)	14L	X	---	X	Gray
	39U	Sunset Gold (Met)	60L	X	X	---	Gold
Onyx Black	41U	Light Pewter (Met)	11L	X	---	X	Pewter
	41U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	41U	Sunset Gold (Met)	60L	X	X	---	Gold
	41U	Victory Red	74L #	X	---	X	---
Summit White	50U	Light Pewter (Met)	11L	X	---	X	Pewter
	50U	Med. Charcoal Gray (Met)	14L	X	---	X	Gray
	50U	Sunset Gold (Met)	60L	X	X	---	Gold
Dark Carmine Red (Met)	51U	Light Pewter (Met)	11L	X	---	X	Pewter
	51U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	51U	Sunset Gold (Met)	60L	---	X	---	Gold
Sunset Gold (Met)	60U	Light Pewter (Met)	11L	---	X	X	Pewter
	60U	Medium Charcoal Gray (Met)	14L	X	X	---	Gray
	60U	Onyx Black	41L	X	X	---	Black
Dark Copper (Met)	69U	Light Pewter (Met)	11L	X	---	X	Pewter
	69U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	69U	Sunset Gold (Met)	60L	X	X	---	Gold
Victory Red	74U	Light Pewter (Met)	11L	X	---	X	Pewter
	74U	Medium Charcoal Gray (Met)	14L	X	---	X	Gray
	74U	Onyx Black	41L	X	---	X	Black
	74U	Sunset Gold (Met)	60L	---	X	---	Gold

♦ **Leather Trim Requires SAU 3 or 4. Leather is on seating surfaces only.**
\# **Not Available with B71.**

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

2000

UPDATE

CHEVROLET

C/K SUBURBAN (NEW)

TRUCK TECHNICAL PAGES

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB) BASED ON CURB WT	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)	
TWO-WHEEL-DRIVE MODELS									
C1500 SUBURBAN	C15906/ZW9	3/5/6/ 7/8/9	5300 V8/A4	—	3175 (7000)	1429/1814 (3150/4000)	1070 (2360)	4082/* (9000)	R R
C2500 SUBURBAN	C25906/ZW9	3/5/6/ 7/8/9	6000 V8/A4	—	3901 (8600)	1724/2722 (3800/6000)	1553 (3425)	4763/* (10500)	R R
FOUR-WHEEL-DRIVE MODELS									
K1500 SUBURBAN	K15906/ZW9	3/5/6/ 7/8/9	5300 V8/A4	—	3266 (7200)	1633/1814 (3600/4000)	1067 (2353)	3992/* (8800)	R R
K2500 SUBURBAN	K25906/ZW9	3/5/6/ 7/8/9	6000 V8/A4	—	3901 (8600)	1896/2722 (4180/6000)	1409 (3107)	4581/* (10100)	R R

*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000lbs on C/K 15 modelsand up to 1500 lbs on C/k 25 models). R

POWERTRAINS

ENGINES

ENGINE	VORTEC 5300 V8	VORTEC 6000 V8
Order Code	LM7	LQ4
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	 213 @ 5200 (285 @ 5200)	 224 @ 4800 (300 @ 4800)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	 441 @ 4000 (325 @ 4000)	 481 @ 4000 (355 @ 4000)
Fuel System	SFI	SFI
Standard Battery (12-volt negative ground Delco Freedom 2 Plus) Cold Cranking Amps @ -17.8° C (0° F)	 600	 600
Standard Delcotron Alternator Maximum Capacity Amps	 105	 105

TRANSMISSIONS

	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E) (includes brake/transmission shift interlock)	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OVERDRIVE HD (4L80-E) (includes brake/transmission shift interlock)
Transmission Order Code	M30 (Standard C/K15906)	MT1 (Standard C/K25906)
Engine Application (Order Code)	5300 V8 (LM7)	6000V8 HD (LQ4)
Gear Ratios First Second Third Fourth Reverse	 3.06 1.63 1.00 0.70 2.29	 2.48 1.48 1.00 0.75 2.08

POWERTRAINS (CONT'D)

AXLES

	REAR AXLE						FRONT AXLE (4X4)			
Availability	C15906		K15906		C/K25906		K15906		K25906	
Capacity kg (lb)	1814 (4000) Semi-Floating		1814 (4000) Semi-Floating		2722 (6000) Semi-Floating		1780 (3925) Semi-Floating		2041 (4500) Semi-Floating	
Pinion and Ring Gear Type	Hypoid		Hypoid		Hypoid		Hypoid		Hypoid	
Axle Ratio Code	GT4 (Std.)	GT5	GT4	GT5	GT4	GT5	GT4	GT5	GT4	GT5
Ratio	3.73	4.10	3.73	4.10	3.73	4.10	3.73	4.10	3.73	4.10
Pinion Teeth	11	11	11	11	11	11	11	11	11	10
Ring Gear Teeth	41	41	41	41	41	41	41	41	41	41
Ring Gear Diameter mm (in.)	218 (8.6)	218 (8.6)	218 (8.6)	218 (8.6)	241 (9.5)	241 (9.5)	210 (8.25)	210 (8.25)	235 (9.25)	235 (9.25)

BRAKES

Type	Power 4-Wheel Anti-Lock	Power 4-Wheel Anti-Lock
Application	C/K15906	C/K25906
Front Rotor Size mm (in.)	Disc 305 (12.0)	Disc 325 (12.8)
Rear Size mm (in.)	Disc 330 (13.0)	Disc 330 (13.0)
Booster Type	Vacuum	Hydraulic
Parking Brake Type Operation	Drum in hat Cable to Rear Wheels Pedal	Drum in hat Cable to Rear Wheels Pedal

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY ALT = ALL TERRAIN BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		FRONT/REAR/SPARE
P245/75R16	AS/SBR/BW	QNK
P265/70R16	AS/SBR/ALT	QMJ
P245/75R16	AS/SBR/WOL	QNL
P265/70R16	ALT/SBR/WOL	QMK
LT245/75R16	ON-OFF/SBR/BW	QIW
LT245/75R16	AS/SBR/BW	QIZ

STANDARD CHASSIS FEATURES

COOLING	
C/K25906	External air-to-oil transmission cooler
ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel single exhaust with converter and unitized muffler-tailpipe. Tailpipe exit on right-hand side of vehicle
FRAME	
Type	All-welded hydro formed ladder-type with channel design and boxed front section
Material	Carbon steel
Yield Strength	N/A
FUEL TANK	
Location	Between frame rails midship (Fuel filler located on left side at rear) Includes plastic bathtub-type shield
Capacity (approx.)	
C/K15906	125 litres (27.5 imperial gal)
C/K25906	148 litres (32.5 imperial gal)
GVWR	
C5W–C15906	3175 kg (7000 lb)
C5Z–K15906	3311 kg (7200 lb)
C6P–C/K25906	3901 kg (8600 lb)
STEERING	
Type	
C15906/C/K25906	Integral Power
K15906	Speed Sensitive Electronic Variable Orifice (EVO)

SUSPENSION, FRONT	Independent
Capacity	
C15906	1542 kg (3400 lb)
C25906	1860 kg (4100 lb)
K15906	1780 kg (3925 lb)
K25906	2041 kg (4500 lb)
2WD Springs	
C15906	Torsion bars
C25906	Coil
Capacity	
C15906	714 kg (1575 lb) each
C25906	862 kg (1900 lb) each
4WD Springs	Torsion bars
Capacity	
K15906	816 kg (1800 lb) each
K25906	948 kg (2090 lb) each
Shock absorbers	32 mm (1.25") piston diameter
Stabilizer bar	Heavy-duty; 30mm (1.18") diameter
SUSPENSION, REAR	
Capacity	
C/K15906	1814 kg (4000 lb)
C/K25906	2722 kg (6000 lb)
Springs	
C/K15906	5-link Coil Spring
C/K25906	Two-stage multi-leaf
Capacity	
C/K15906	907 kg (2000 lb) each
C/K25906	1361 kg (3000 lb) each
Shock absorbers	32 mm (1.25") piston diameter
TRANSFER CASE	
Availability	K15906/K25906
Type/Model	New Venture Gear 2-Speed Electronic Active / NVG246
Controls	I/P mounted
WHEELS	
Type	Five disc, stainless-steel clad
Size	
C/K15906	406mm x 178mm (16" x 7")
C/K25906	406mm x 165mm (16" x 6.5")
Attachment	
w/C5Z/C5W	6 bolts
wC6P	8 bolts

DIMENSIONS

MODEL	C1500 SUBURBAN	C2500 SUBURBAN	K1500 SUBURBAN	K2500 SUBURBAN
MODEL NUMBER	C15906	C25906	K15906	K25906
EXTERIOR DIMENSIONS				
BODY				
Wheelbase mm (in.)	3302 (130.0)	3302 (130.0)	3302 (130.0)	3302 (130.0)
Overall Length mm (in.)	5570 (219.3)	5570 (219.3)	5570 (219.3)	5570 (219.3)
Overall Height mm (in.)	1870 (73.6)	1887 (74.3)	1862 (73.3)	1890 (74.4)
Maximum Width mm (in.)	2002 (78.8)	2002 (78.8)	2002 (78.8)	2002 (78.8)
Bumper-to-Axle mm (in.) Front Rear	 941 (37.0) 1328 (52.3)	 941 (37.0) 1328 (52.3)	 941 (37.0) 1328 (52.3)	 941 (37.0) 1328 (52.3)
Ground to Top of Rear Load Floor mm (in.)	744 (29.3)	823 (32.4)	777 (30.6)	808 (31.8)
Ground Clearance mm (in.) Front/Rear	252/258 (9.9/10.2)	229/259 (9.0/10.2)	271/249 (10.7/9.8)	260/253 (10.2/10.0)
Turning Diameter Curb-to-Curb m (ft)	13.1 (43.0)	13.3 (43.7)	13.6 (44.5)	13.5 (44.3)

INTERIOR DIMENSIONS				
Headroom mm Front/Middle/Rear (in.)	1034/991/980 (40.7/39.0/38.6)	1034/991/980 (40.7/39.0/38.6)	1034/991/980 (40.7/39.0/38.6)	1034/991/980 (40.7/39.0/38.6)
Legroom mm Front/Middle/Rear (in.)	1049/994/917 (41.3/39.1/36.1)	1049/994/917 (41.3/39.1/36.1)	1049/994/917 (41.3/39.1/36.1)	1049/994/917 (41.3/39.1/36.1)
Shoulder Room mm Front/Middle/Rear (in.)	1657/1653/1648 (65.2/65.1/64.8)	1657/1653/1648 (65.2/65.1/64.8)	1657/1653/1648 (65.2/65.1/64.8)	1657/1653/1648 (65.2/65.1/64.8)
Hip Room mm Front/Middle/Rear (in.)	1560/1565/1248 (61.4/61.6/49.2)	1560/1565/1248 (61.4/61.6/49.2)	1560/1565/1248 (61.4/61.6/49.2)	1560/1565/1248 (61.4/61.6/49.2)
Cargo Volume litres (cu ft) w/ Front Seat w/ Front, Middle Seats w/ Front, Middle, Rear Seats	 3919 (138.4) 2549 (90.0) 1294 (45.7)	 3919 (138.4) 2549 (90.0) 1294 (45.7)	 3919 (138.4) 2549 (90.0) 1294 (45.7)	 3919 (138.4) 2549 (90.0) 1294 (45.7)
Load Floor Length mm (in.) w/ Front Seat w/ Front, Middle Seats w/ Front, Middle, Rear Seats	 2657 (104.6) 1768 (69.6) 917 (36.1)	 2657 (104.6) 1768 (69.6) 917 (36.1)	 2657 (104.6) 1768 (69.6) 917 (36.1)	 2657 (104.6) 1768 (69.6) 917 (36.1)
R Cargo Width at Floor mm (in.)	1600 (63.0)	1600 (63.0)	1600 (63.0)	1600 (63.0)
Interior Width Between Wheelhousings mm (in.)	1247 (49.1)	1247 (49.1)	1247 (49.1)	1247 (49.1)